

# GrooveTiles


Wall tiles




Product card

2023/2024


## Standard patterns




Linea




Square 1




Square 2



Square 3



Ars




Delta




300x300 mm | 600x600 mm | 1200x1200 mm




250x250 mm




Hexa Line




Hexa 1



Hexa 2




Hexa 3



Hexa 4




300x300 mm | 600x600 mm | 1200x1200 mm



Slash 1



Slash 2




Backslash 1




Backslash 2



Trail



Berge



Crossed




600x300 mm | 600x600 mm | 1200x1200 mm

Available thicknesses


9 mm

12 mm


Possibility to personalize the dimensions and production of the tile according to received project



**Line**



**Slash 2**




**Mountains**




**Trail**

# Color palette

## 9 mm



## 12 mm



\*The filzbee colors you see vary depending on the screen characteristics of your TV/computer/tablet/smartphone, although they are selected to be closest to the original color shades.

To be sure of your choice, we recommend viewing samples of PET felt.



### Acoustic properties

NRC = 0.4-0.95 depends on the installation method and thickness selected



### Cleaning

The products are easy to clean with a damp cloth or a vacuum cleaner



### Immunity

Our felt has a flame retardancy class B, s1



### Installation

#### Method 1:

wall mounting using contact glue or hot glue

#### Method 2:


wall mounting using double-sided tape

### Possibility of personalization

### Care for the environment

All our products are made of high-quality PET felt made of min. 60% recycled PET bottles.

The materials we use have been VOC tested, so we are sure that their use in your space is safe.



**Products made from 60% recycled materials.  
Made of 100% PET polyester.**



**filzBee**

