




WaveSilence

Thermoformed panels



Product card
2023/2024

Standard patterns




Sea
1130x2750 mm
20 mm
50 mm



Harmony
1180x2750 mm
35 mm
25 mm



Storm
825x 2750 mm
89 mm
60 mm 120 mm 160 mm 80 mm 140 mm
30 mm 70 mm 25 mm 25 mm 50 mm 55 mm



Flow
1170x 2750 mm
10 mm
22 mm 3 mm



Rhythm
1165x 2750 mm
10 mm
3 mm 48 mm



Pulse
1125x 2750 mm
14 mm
15 mm 20 mm




Flow

PET felt color palette

9 mm



12 mm



*The filzbee colors you see vary depending on the screen characteristics of your TV/computer/tablet/smartphone, although they are selected to be closest to the original color shades.
To be sure of your choice, we recommend viewing samples of PET felt.

Material color palette - upholstered product





Acoustic properties

NRC = 0.4-0.95 depends on the installation method



Cleaning

The products are easy to clean with a damp cloth or a vacuum cleaner



Fire resistance

Our felt has a flame retardancy class B, s1



Installation

Method 1:

wall mounting using contact adhesive

Method 2:


wall mounting using a mounting profile

Possibility to order the product in upholstery fabric

Care for the environment

All our products are made of high-quality PET felt made of min. 60% recycled PET bottles.

The materials we use have been VOC tested, so we are sure that their use in your space is safe.



**Products made from 60% recycled materials.
Made of 100% PET polyester.**



filzBee

